



Vent connections are provided on the SAF tank turrets, to allow connection to the site's venting system. The design of the venting system will vary from site to site and is the responsibility of the installation contractor.



**CSAF35 SCHEME SHOWING
TYPICAL KIOSK CONNECTIONS**

1	15/03/10	RP	RU	RP	ISSUED FOR INFO
REV.	DATE	BY	CHKD.	APPD.	DESCRIPTION
S	W	E	N		
FOR INTERNAL USE ONLY		1ST ANGLE PROJECTION		GENERAL TOLERANCES (unless noted otherwise) GRP ± 5mm ± 0.5° FABRICATED ± 2mm ± 0.2° MACHINED ± 0.5mm ± 0.1°	
A3		DO NOT SCALE IF IN DOUBT ASK ALL DIMENSIONS IN MM		THIS DRAWING IS THE PROPERTY OF PREMIER TECH AQUA Ltd. AND IS NOT TO BE COPIED IN PART OR WHOLE WITHOUT WRITTEN PERMISSION	
IMPORTANT INVERT LEVEL NOTE (RIBBED TANKS ONLY!): The inlet and outlet Invert Level(IL) shown on this drawing is to internals of the shell unless otherwise stated. For Invert level to the outside of the shell ribs, see the conversion below: Ø1.0m, 1.2m, 1.5m, 1.8m, 2.5m IL+50mm ('X') Ø3.0m, 4.0m IL+75mm ('X')			TANKS SUPPLIED WITH LOOSE SHAFTS DO NOT COME SUPPLIED WITH A FIXING KIT. THIS IS THE RESPONSIBILITY OF THE SITE CONTRACTOR.		

DRAWN BY RP	CHKD. RU	APPD. RP	SCALE NTS	DRAWING No. CSAF35 LAYOUT	REVISION 1
DATE 15/03/10	DATE 15/03/10	DATE 15/03/10			